



# Sturdy and practical

Hinged-door cabinets.



# Hinged-door cabinets for tools and equipment

## Features of the tool and equipment cabinets:


- + Sturdy steel construction with high-quality enamel coating
- + Wide range of different dimensions for any application
- + Improved operating safety, wear resistance and an attractive ergonomic appearance thanks to the **Ergo-Lock** grip lock (3-bolt latch) in black with 2 keys
- + Doors on bolt hinges, door opening angle of approx. 110°
- + Door reinforcement for high stability
- + Highly flexible interior fittings thanks to adjustability in 15 mm steps
- + High load capacity of 70 kg per zinc-plated shelf (reinforced shelf can bear loads up to 110 kg), for reinforcement, see p. 15



Order no. 08920-00


## Dimensions and version

With triple-bolt Ergo-Lock grip lock




Height: 1,950	Width	500	500	700	700	930
	Depth:	400	500	400	500	400
	Interior dimensions, H x W x D	1840 x 498 x 353	1840 x 498 x 453	1840 x 698 x 353	1840 x 698 x 453	1840 x 928 x 353
	Shelves	4	4	4	4	4
	Order no.	8900-00	8901-00	8910-00	8911-00	8920-00
	Price					

### + Additional shelves

	Width x depth	495 x 352	495 x 452	695 x 352	695 x 452	925 x 352
	& order no.	+ 8900-80	+ 8901-80	+ 8910-80	+ 8911-80	+ 8920-80
	& unit price					

### + Underframes made of square tube, 150 mm high, adjustable level Black gray RAL 7021, other colors on request

	Width x depth	-	-	-	-	930 x 400
	& order no.	-	-	-	-	+ 9964-00
	& unit price	-	-	-	-	



XXL




**Ergo-Lock grip lock**



Improved operation safety, wear resistance and appearance—to close the door, all you need to do is push the grip lock closed



**XXL depth!**  
Order no. 08934-00



**XXL depth!**



**XXL depth!**



930	930	930	1200	1200	1200	1200
500	600	800	400	500	600	800
1840 x 928 x 453	1840 x 928 x 553	1840 x 928 x 753	1840 x 1198 x 353	1840 x 1198 x 453	1840 x 1198 x 553	1840 x 1198 x 753
4	4	4	4	4	4	4
8921-00	8922-00	8924-00	8930-00	8931-00	8932-00	8934-00

925 x 452	925 x 552	925 x 752	1195 x 352	1195 x 452	1195 x 552	1195 x 752
+ 8921-80	+ 8922-80	+ 8924-80	+ 8930-80	+ 8931-80	+ 8932-80	+ 8934-80

930 x 500	930 x 600	930 x 800	1200 x 400	1200 x 500	1200 x 600	1200 x 800
+ 9984-00	+ 9994-00	+ 2032-00	+ 2027-00	+ 2028-00	+ 2033-00	+ 2034-00

# Workshop shelving units








Order no. 8911-02



Order no. 8920-02

## Dimensions and version



### Without doors

Height: 1,950

Width	500	500	700	700	930
Depth	400	500	400	500	400
Interior dimensions, H x W x D	1840 x 498 x 353	1840 x 498 x 453	1840 x 698 x 353	1840 x 698 x 453	1840 x 928 x 353
Shelves	4	4	4	4	4
Order no.	8900-02	8901-02	8910-02	8911-02	8920-02
Price					

### + Additional shelves



Width x depth & order no. & unit price	495 x 352 + 8900-80	495 x 452 + 8901-80	695 x 352 + 8910-80	695 x 452 + 8911-80	925 x 352 + 8920-80
--	---------------------	---------------------	---------------------	---------------------	---------------------




		<b>XXL depth!</b> 				<b>XXL depth!</b> 
930	930	930	1200	1200	1200	1200
500	600	800	400	500	600	800
1840 x 928 x 453	1840 x 928 x 553	1840 x 928 x 753	1840 x 1198 x 353	1840 x 1198 x 453	1840 x 1198 x 553	1840 x 1198 x 753
4	4	4	4	4	4	4
8921-02	8922-02	8924-02	8930-02	8931-02	8932-02	8934-02
925 x 452	925 x 552	925 x 752	1195 x 352	1195 x 452	1195 x 552	1195 x 752
+ 8921-80	+ 8922-80	+ 8924-80	+ 8930-80	+ 8931-80	+ 8932-80	+ 8934-80

# Hinged-door cabinets

## for tools and equipment


### Dimensions and version

With drawers and shelves,  
incl. triple-bolt **Ergo-Lock** grip lock  
Drawers on sturdy guide slide bearing,  
load capacity: 25 kg each



Height: 1,950	Width	930	1200	930
Depth: 500	Interior dimensions, H x W x D	1840 x 928 x 453	1840 x 1198 x 453	1840 x 928 x 453
	Shelves	6	6	6
	Description	Left and right 2 large drawers each	Left and right 2 large drawers each	4 small drawers on left, 2 large drawers on right
	Clear drawer interior dimensions, H x W x D*	125 x 367 x 438	125 x 502 x 438	70/125 x 367 x 438
	Order no.	8921-3042	8931-3042	8921-3041
	Price			

### + Additional shelves

 Zinc-plated	For cabinet width	930	1200
	Width x depth	459 x 449	594 x 449
	& order no.	+ 8921-3707	+ 8931-3707
	& unit price		

### + Drawer block



Generally in light gray RAL 7035	With 2 large drawers (from model 8921/31-3042)		With 4 small drawers (from model 8921/31-3041)	
For cabinet width	930	1200	930	1200
Drawer panel height	Approx. 170	Approx. 170	Approx. 82	Approx. 82
& order no.	+ 8921-3723	+ 8931-3723	+ 8921-3722	+ 8931-3722
& price				





1200
1840 x 1198 x 453
6
4 small drawers on left, 2 large drawers on right
70/125 x 502 x 438
8931-3041



930
1840 x 928 x 453
6
4 small drawers and 4 large drawers on left
70/125 x 367 x 438
8921-305



1200
1840 x 1198 x 453
6
4 small drawers and 4 large drawers on left
70/125 x 502 x 438
8931-305



Order no. 8921-3041



Order no. 8921-3716

**+** Drawer tidies



Plastic boxes for small parts, approx. 54 mm high



Zinc-plated separators, approx. 68 mm high

For cabinet width	930	1200	930	1200
& order no.	+ 8921-3713	+ 8931-3713	+ 8921-3716	+ 8931-3716
& price				



Order no. 8921-700

**+** Foam rubber mat to be inserted into the drawer




For cabinet width	930	1200
Depth	500	500
& order no.	+ 8921-700	+ 8931-700
& unit price		

# Hinged-door cabinets

## for tools and equipment

### Dimensions and version

With security compartments, drawers and shelves, incl. triple-bolt **Ergo-Lock** grip lock  
 Drawers on sturdy guide slide bearing,  
 load capacity: 25 kg each




#### With hinged doors

Height: 1,950  
 Depth: 500

	930	1200	930
Width	930	1200	930
Interior dimensions, H x W x D	1840 x 928 x 453	1840 x 1198 x 453	1840 x 928 x 453
Shelves	4	4	4
Description	1 security compartment with cylinder lock, 8 large drawers on left	1 security compartment with cylinder lock, 8 large drawers on left	1 security compartment with cylinder lock, 16 small drawers on left
Security compartment dimensions, H x W x D	400 x 376 x 460	400 x 511 x 460	400 x 376 x 460
Clear drawer interior dimensions, H x W x D*	125 x 367 x 438	125 x 502 x 438	70 x 367 x 438
Order no.	8921-306	8931-306	8921-301
Price			

\*Panel height: 82 or 170 mm

#### + Additional shelves



	930	1200
For cabinet width	930	1200
Width x depth & order no.	459 x 449 + 8921-3707	594 x 449 + 8931-3707
& unit price		

#### + Drawer block



	With 2 large drawers (from model 8921/31-3042)		With 4 small drawers (from model 8921/31-3041)	
Generally in light gray RAL 7035				
For cabinet width	930	1200	930	1200
Drawer panel height & order no.	Approx. 170 + 8921-3723	Approx. 170 + 8931-3723	Approx. 82 + 8921-3722	Approx. 82 + 8931-3722
& price				

#### + Drawer tidies




	Plastic boxes for small parts, approx. 54 mm high		Zinc-plated separators, approx. 68 mm high	
For cabinet width & order no.	930 + 8921-3713	1200 + 8931-3713	930 + 8921-3716	1200 + 8931-3716
& price				



Order no. 8921-3713






1200	930	1200	930	1200
1840 x 1198 x 453	1840 x 928 x 453	1840 x 1198 x 453	1840 x 928 x 453	1840 x 1198 x 453
4	-	-	-	-
1 security compartment with cylinder lock, 16 small drawers on left	1 security compartment on left and right, with cylinder lock, 16 small drawers on the left, 8 large drawers on the right	1 security compartment on left and right, with cylinder lock, 16 small drawers on the left, 8 large drawers on the right	1 compartment at top on left and right, 16 small drawers on the left, 8 large drawer on the right	1 compartment at top on left and right, 16 small drawers on the left, 8 large drawers on the right
400 x 511 x 460	400 x 376 x 460	400 x 511 x 460	400 x 376 x 460	400 x 511 x 460
70 x 502 x 438	70/125 x 367 x 438	70/125 x 502 x 438	70/125 x 367 x 438	70/125 x 502 x 438
8931-301	8921-302	8931-302	8921-303	8931-303



Order no. 8921-700

+ **Foam rubber mat to be inserted into the drawer**



For cabinet width	930	1200
Depth	500	500
& order no.	+ 8921-700	+ 8931-700
& unit price		



Order no. 8921-3042

+ **Keys and locks for tool and equipment cabinets (for PIN and RFID locks, see p. 265)**




	Ergo-Lock	Ergo-Lock with master key system	Master key for this	Ergo-Lock with simultaneous locking	Ergo-Lock with lock no. upon request (longer delivery times)	Single/spare key	Single/spare key for master key system	Single/spare key for security compartment
Order no.	8900-721	8900-723	8900-7131	8900-7211	...-...99	0004-11	0005-10	0006-50
Price					On request			

# Top, hanging and occasional cabinets



## Dimensions and version

**Top cabinet** with triple-bolt **Ergo-Lock** grip lock, incl. accessories for mounting to underbench cabinet



Height: 500	Width	930	930	930	1200	1200	1200
	Depth	400	500	600	400	500	600
	Interior dimensions, H x W x D	440 x 928 x 353	440 x 928 x 453	440 x 928 x 553	440 x 1198 x 353	440 x 1198 x 453	440 x 1198 x 553
	Shelves	-	-	-	-	-	-
	Order no.	9264-000	9284-000	9294-000	9464-000	9484-000	9494-000
Price							



Height: 790	Width	930	930	930	1200	1200	1200
	Depth	400	500	600	400	500	600
	Interior dimensions, H x W x D	730 x 928 x 353	730 x 928 x 453	730 x 928 x 553	730 x 1198 x 353	730 x 1198 x 453	730 x 1198 x 553
	Shelves	1	1	1	1	1	1
	Order no.	9265-009	9285-009	9295-009	9465-009	9485-009	9495-009
Price							

### Wall mount

Customer must provide wall mount for top cabinets.

### Hanging cabinet/Hanging shelf

For example for hanging above the workbench, cabinet with doors on bolt hinges and triple-bolt **Ergo-Lock** grip lock, shelving without doors



Height: 830	<b>Version</b>	<b>Cabinet</b>	<b>Shelving</b>
Width: 700	Interior dimensions, H x W x D	770 x 695 x 250	770 x 695 x 250
Depth: 300	Shelves	3	3
	Order no.	134013-22	134013-02
	Price		



Order no. 134013-22



Order no. 8820-000




Order no. 8831-000


## Dimensions and version

### Occasional cabinets

With triple-bolt **Ergo-Lock** grip lock, with corrugated rubber mat



Height: 1,000	Width	930	930	1200	1200
	Depth	400	500	400	500
	Interior dimensions, H x W x D	855 x 928 x 353	855 x 928 x 453	855 x 1198 x 353	855 x 1198 x 453
	Shelves	1	1	1	1
	Order no.	8820-000	8821-000	8830-000	8831-000
	Price				



Height: 1,200	Width	930	930	1200	1200
	Depth	400	500	400	500
	Interior dimensions, H x W x D	1055 x 928 x 353	1055 x 928 x 453	1055 x 1198 x 353	1055 x 1198 x 453
	Shelves	2	2	2	2
	Order no.	8520-000	8521-000	8530-000	8531-000
	Price				

### + Occasional cabinets, simultaneous locking

& order no.

+ 8900-7211

& addtl. charge

# Occasional cabinets with hinged doors

## Features of the occasional cabinets:

These classics shouldn't be missing from any workshop. Outfit your cabinet with our accessories however you like: Storage space near the workstation or mobile helper—everything's possible!

- + Sturdy steel construction with high-quality enamel coating
- + Central door reinforcement for high stability of the doors
- + Hinged doors on bolt hinges with approx. 110° opening angle
- + Cylinder lock with 2 keys
- + Highly flexible interior thanks to adjustability in 30 mm steps
- + High load capacity of each zinc-plated shelf: 70 kg



Order no. 87210-00  
& 8721-71656



Order no. 87210-00  
& 8721-713  
& 8750-00  
& 8721-7010



Order no. 87210-00  
& 8721-713



Order no. 88210-00  
& 8721-7010

## Dimensions and version

1 drawer above, 2 adjustable, zinc-plated shelves below

Height: 1,000	Width	500	1000
Depth: 500	Shelves	2	2
	Order no.	87210-00	88210-00
	Price		

### + Additional shelves

	Width	500	1000
	Order no.	8721-80	88210-80
	Price		



**Corrugated rubber mat** for customer attachment to the housing or raised edge

Width	500	1000
Order no.	8750-00	88500-00
Price		



**Raised edge** for customer attachment

Width	500	1000
Depth	500	500
Height	20	20
Order no.	8721-713	8821-713
Price		



**Tabletop lectern, 500x500, for customer attachment, light gray in color**

Width	500
Depth	500
Order no.	8721-71656
Price	



Our tabletop lectern is also suitable for use for cabinet widths up to 1,000 mm!



**4 casters, 2 with lock, for installation by customer**

Order no.	8721-7010
Price	



# Hinged-door cabinets for tools and equipment




Order no. 8920-314



Order no. 8921-311


## Dimensions and version

With triple-bolt Ergo-Lock grip lock



Various interior fittings	Width	930	1200	930	930	930
	Depth	500	500	400	500	400
Height: 1,950	Interior dimensions, H x W x D	1840 x 460 x 450	1840 x 595 x 450	1840 x 928 x 353	1840 x 928 x 453	1840 x 928 x 353
	Shelves	8	8	3	3	2
Two-door security compartment, H x W x D		-	-	1	1	-
	Description	With center partition	With center partition	Security compartment with cylinder lock	Security compartment with cylinder lock	9 width-adjustable boxes above
	Order no.	8921-311	8931-311	8920-313	8921-313	8920-314
	Price					




## + Additional shelves

 <p>Zinc-plated</p>	Width x depth	459 x 449	594 x 449	925 x 352	925 x 452	925 x 352
	& order no.	+ 8921-3707	+ 8931-3707	+ 8920-80	+ 8921-80	+ 8920-80
	& unit price					





Order no. 8920-313



930  
500  
1840 x 928 x 453  
2  
-

1200  
400  
1840 x 1198 x 353  
2  
-

1200  
500  
1840 x 1198 x 453  
2  
-

930  
500  
1840 x 460 x 450  
4 on the right  
-

930  
500  
1840 x 928 x 453  
-  
-

930  
400  
1840 x 375 x 350  
4 on the right  
-

9 width-adjustable boxes above

9 width-adjustable boxes above

9 width-adjustable boxes above

With center partition, storage shelf with changing room rail (without coat hangers) on left

Interior storage shelf with changing room rail (without coat hangers)

With partition, storage shelf on left with fully extendable changing room rail (without coat hangers), filling section: approx. 380 mm wide, clothing section: approx. 550 mm wide

8921-314

8930-314

8931-314

8921-312

9280-088

8920-312

925 x 452

1195 x 352

1195 x 452

459 x 449

925 x 452

375 x 349

+ 8921-80

+ 8930-80

+ 8931-80

+ 8921-3707

+ 1050-80

+ 8920-3707

**+** Reinforced shelf



Load capacity per shelf	<b>Approx. 110 kg</b>
Order no.	+ ...-802
Price	Double the shelf price

# Tool cabinets with drawer block

## Features of the tool cabinets with drawer block:


- + Sturdy steel construction with high-quality enamel coating
- + Different dimension variants (2 widths, 2 heights, 3 depths)
- + Improved operating safety, wear resistance and appearance thanks to the **Ergo-Lock** grip lock (3-bolt latch) in black with 2 keys
- + 3 drawers with telescopic rail guide, fully extendable, 50 kg load capacity/drawer
- + Door mounting bracket with external hinges, approx. 180° opening angle
- + Highly flexible interior thanks to adjustability in 15 mm steps
- + High load capacity of 70 kg per zinc-plated shelf (reinforced shelf can bear loads up to 110 kg), for reinforcements see below



Order no. 8931-503  
& 8931-5713 (drawer tidy/plastic boxes)

## Dimensions and version

With hinged doors on external hinges (door opening angle of 180°), 3 drawers with telescopic rail guide, fully extendable with approx. 50 kg load capacity/drawer, wall mounting necessary



Drawers below	Width	930	930	1200	1200	1200
Height: 1,950	Depth	500	600	400	500	600
	Shelves	4	4	4	4	4
	Drawer interior dimensions, H x W x D	100 x 730 x 440	100 x 730 x 440	100 x 1000 x 330	100 x 1000 x 440	100 x 1000 x 440
	Drawers	3	3	3	3	3
	Order no.	8921-503	8922-503	8930-503	8931-503	8932-503
	Price					

### + Additional shelves

For cabinet width	930	930	1200	1200	1200
Depth	500	600	400	500	600
& order no.	+ 8921-80	+ 8922-80	+ 8930-80	+ 8931-80	+ 8932-80
& unit price					



#### Ergo-Lock grip lock

Improved operation safety, wear resistance and appearance— to close the door, all you need to do is push the grip lock closed






Order no. 8921-5030



Order no. 8931-5030  
& 8931-5713 (drawer tidy/plastic boxes)



**Drawers in the center**

Height: 1,950

930	930	1200	1200	1200
500	600	400	500	600
3	3	3	3	3
100 x 730 x 440	100 x 730 x 440	100 x 1000 x 330	100 x 1000 x 440	100 x 1000 x 440
3	3	3	3	3
8921-5030	8922-5030	8930-5030	8931-5030	8932-5030

930	930	1200	1200	1200
500	600	400	500	600
+ 8921-80	+ 8922-80	+ 8930-80	+ 8931-80	+ 8932-80

**+ Reinforced shelf**



Load capacity per shelf	<b>Approx. 110 kg</b>
Order no.	+ ...-802
Price	Double the shelf price

# Occasional cabinets with drawer block



Order no. 8831-5035  
& 8931-5713 (drawer tidy/plastic boxes)

## Dimensions and version

With hinged doors on external hinges (door opening angle of 180°), with corrugated rubber mat, wall mounting necessary




Height: 1,000	Width	930	1200	1200
	Depth	500	400	500
	Interior dimensions, HxWxD	450 x 928 x 453	450 x 1198 x 353	450 x 1198 x 453
	Shelves	2	2	2
	Drawer interior dimensions, H x W x D	100 x 730 x 440	100 x 1000 x 330	100 x 1000 x 440
	Drawers	3	3	3
	Order no.	8821-5035	8830-5035	8831-5035
	Price			

# Drawer tidies



## Drawer tidies

Plastic boxes  
for small parts,  
63 mm high



For cabinet width	930	1200	1200
Depth	500/600	400	500/600
Boxes	4 x 162 x 108 8 x 108 x 108 16 x 54 x 54 16 x 108 x 54	6 x 162 x 108 6 x 108 x 108 12 x 54 x 54 18 x 108 x 54	8 x 162 x 108 8 x 108 x 108 16 x 54 x 54 24 x 108 x 54
& order no.	+ 8921-5713	+ 8930-5713	+ 8931-5713
& unit price			




## Drawer tidies

Zinc-plated  
separators,  
approx. 68 mm high





For cabinet width	930	1200	1200
Depth	500/600	400	500/600
Boxes (vertically adjustable)	2 x 134 x 420 12 x 95 x 110/199	2 x 161 x 315 18 x 95 x 57/199	2 x 161 x 420 18 x 95 x 110/199
& order no.	+ 8921-5718	+ 8930-5718	+ 8931-5718
& unit price			



## Foam rubber mat


To be inserted  
into the drawer



For cabinet width	930	1200	1200
Depth	500/600	400	500/600
& order no.	+ 8921-701	+ 8930-701	+ 8931-701
& unit price			

## Keys and locks for tool and equipment cabinets

(for PIN code and RFID locks, see p. <?>)

	Ergo-Lock	Ergo-Lock with master key system	Master key for this	Ergo-Lock with simultaneous locking	Single/spare key	Additional charge for lock with lock no. upon request (longer delivery times)	Single/spare key for master key system
Order no.	8900-721	8900-723	8900-7131	8900-7211	0004-11	...-...99	0005-10
Price						On request	

# Tool and equipment cabinets

## With viewing windows

### Features of the tool cabinets with viewing windows:

- + Sturdy steel construction with high-quality enamel coating
- + Different dimension variants (2 widths, 3 heights)
- + Door mounting bracket with external hinges, approx. 180° opening angle
- + Steel doors with viewing window made of acrylic glass (3 mm thick) for a direct view
- + Acrylic glass panes can be replaced using simple screw connection
- + Highly flexible interior thanks to adjustability in 15 mm steps
- + High load capacity of 70 kg per zinc-plated shelf (reinforced shelf can bear loads up to 110 kg), for reinforcement, see Seite 17



#### Ergo-Lock grip lock

Improved operation safety, wear resistance and appearance—to close the door, all you need to do is push the grip lock closed




### Dimensions and version

With hinged doors on external hinges (door opening angle of 180°), incl. Ergo-Lock triple-bolt grip lock



Height: 1,950	Width	500	500	700	700	930
	Depth	400	500	400	500	400
	Interior dimensions, H x W x D	1840 x 498 x 353	1840 x 498 x 453	1840 x 698 x 353	1840 x 698 x 453	1840 x 928 x 353
	Shelves	4	4	4	4	4
	Order no.	8900-055	8901-055	8910-055	8911-055	8920-055
	Price					

#### + Additional shelves

 Zinc-plated	Width x depth	495 x 352	495 x 452	695 x 352	695 x 452	925 x 352
	& order no.	+ 8900-80	+ 8901-80	+ 8910-80	+ 8911-80	+ 8920-80
	& unit price					



Order no. 8521-055





### Cabinets that earn money

#### Finding instead of searching saves time and money!

- + Simply brilliant: Thanks to the direct view of the cabinet contents, you eliminate tedious searching and cumbersome labeling systems. Better order is automatically kept in viewing window cabinets as well.
- + Die C + P cabinets with viewing windows pay for themselves after just a short period of time—and then they even make you money by saving time and costs!
- + They're also perfectly suited for the implementation of modern simplification and improvement concepts such as KAIZEN or CPI.

		XXL depth!				XXL depth!
930	930	930	1200	1200	1200	1200
500	600	800	400	500	600	800
1840 x 928 x 453	1840 x 928 x 553	1840 x 928 x 753	1840 x 1198 x 353	1840 x 1198 x 453	1840 x 1198 x 553	1840 x 1198 x 753
4	4	4	4	4	4	4
8921-055	8922-055	8924-055	8930-055	8931-055	8932-055	8934-055

925 x 452	925 x 552	925 x 752	1195 x 352	1195 x 452	1195 x 552	1195 x 752
+ 8921-80	+ 8922-80	+ 8924-80	+ 8930-80	+ 8931-80	+ 8932-80	+ 8934-80

## Dimensions and version

### Occasional cabinets with viewing windows

With hinged doors on external hinges (door opening angle of 180°), incl. Ergo-Lock triple-bolt grip lock with corrugated rubber mat



Depth: 500	Height	1000	1000	1200	1200
	Width	930	1200	930	1200
	Interior dimensions, H x W x D	855 x 928 x 453	855 x 1198 x 453	1055 x 928 x 453	1055 x 1198 x 453
	Shelves	1	1	2	2
	Order no.	8821-055	8831-055	8521-055	8531-055
	Price				



# Tool cabinets with viewing windows and drawer block



Order no. 8931-553

## Dimensions and version

**With hinged doors** on external door hinges (door opening angle of 180°), 3 drawers with telescopic rail guide, fully extendable with approx. 50 kg load capacity/drawer, wall mounting necessary




### Drawer below

Height: 1,950

Width	930	930	1200	1200
Depth	500	600	500	600
Interior dimensions, HxWxD	1840 x 928 x 453	1840 x 928 x 553	1840 x 1198 x 453	1840 x 1198 x 553
Shelves	4	4	4	4
Drawer interior dimensions, HxWxD	100 x 730 x 440	100 x 730 x 440	100 x 1000 x 440	100 x 1000 x 440
Drawers	3	3	3	3
Order no.	8921-553	8922-553	8931-553	8932-553
Price				




Order no. 8931-5530



**Drawers  
in the center**  
Height: 1,950

Width	930	930	1200	1200
Depth	500	600	500	600
Interior dimensions, HxWxD	1840 x 928 x 453	1840 x 928 x 553	1840 x 1198 x 453	1840 x 1198 x 553
Shelves	3	3	3	3
Drawer interior dimensions, HxWxD	100 x 730 x 440	100 x 730 x 440	100 x 1000 x 440	100 x 1000 x 440
Drawers	3	3	3	3
Order no.	8921-5530	8922-5530	8931-5530	8932-5530
Price				

**+ Additional shelves**

 <p>Zinc-plated</p>	Width x depth	925 x 452	925 x 552	1195 x 452	1195 x 552
	& order no.	+ 8921-80	+ 8922-80	+ 8931-80	+ 8932-80
	& unit price				

# Tool and equipment cabinets

## For heavy loads



### Features of the cabinets for heavy loads:

- + Sturdy steel construction with high-quality enamel coating
- + Different dimension variants (3 widths, 3 heights)
- + Door mounting bracket with external hinges, approx. 180° opening angle
- + Door reinforcement for high stability and concealed locking rod
- + Highly flexible interior fittings thanks to adjustability in 15 mm steps
- + High load capacity of each zinc-plated shelf: 110 kg
- + Cabinet load: 700 kg



Order no. 8921-052

Loads of up to **700 kg**




#### Ergo-Lock grip lock

Improved operation safety, wear resistance and appearance—to close the door, all you need to do is push the grip lock closed




### Dimensions and version

On external hinges (door opening angle of 180°), incl. Ergo-Lock triple-bolt grip lock



Height: 1,950	Width	500	500	930	930
	Depth	400	500	400	500
	Interior dimensions, H x W x D	1840 x 498 x 353	1840 x 498 x 453	1840 x 928 x 353	1840 x 928 x 453
	Shelves	4	4	4	4
	Order no.	8900-052	8901-052	8920-052	8921-052
	Price				

**+** Additional shelves  
Load capacity: 110 kg

 Zinc-plated	Width x depth	495 x 352	495 x 452	925 x 352	925 x 452
	& order no.	+ 8900-802	+ 8901-802	+ 8920-802	+ 8921-802
	& unit price				



Order no. 8521-052

Loads of up to **700 kg**





**Occasional cabinets** with hinged doors on external hinges (door opening angle of 180°), incl. Ergo-Lock triple-bolt grip lock with corrugated rubber mat



Depth: 500	Height	1000	1000	1200	1200
	Width	930	1200	930	1200
	Interior dimensions, HxWxD	855 x 928 x 453	855 x 1198 x 453	1055 x 928 x 453	1055 x 1198 x 453
	Shelves	1	1	2	2
	Order no.	8821-052	8831-052	8521-052	8531-052
	Price				

**XXL depth!**

**XXL depth!**



930	930	1200	1200	1200	1200
600	800	400	500	600	800
1840 x 928 x 553	1840 x 928 x 753	1840 x 1198 x 353	1840 x 1198 x 453	1840 x 1198 x 553	1840 x 1198 x 753
4	4	4	4	4	4
8922-052	8924-052	8930-052	8931-052	8932-052	8934-052

925 x 552	925 x 752	1195 x 352	1195 x 452	1195 x 552	1195 x 752
+ 8922-802	+ 8924-802	+ 8930-802	+ 8931-802	+ 8932-802	+ 8934-802

# Tool cabinets for heavy loads

## with drawer block

### Dimensions and version

With hinged doors on external hinges (door opening angle of 180°), 3 drawers with telescopic rail guide, fully extendable with approx. 75 kg load capacity/drawer, wall mounting necessary





Drawers below Height: 1,950	Width	930	930	1200	1200
	Depth	500	600	500	600
	Interior dimensions, HxWxD	1435 x 928 x 453	1435 x 928 x 553	1435 x 1198 x 453	1435 x 1198 x 553
	Shelves	4	4	4	4
	Drawer interior dimensions, HxWxD	100 x 730 x 440	100 x 730 x 440	100 x 1000 x 440	100 x 1000 x 440
	Drawers	3	3	3	3
	Order no.	8921-523	8922-523	8931-523	8932-523
	Price				



Loads of up to **700 kg**

Order no. 8831-5235

+ **Foam rubber mat**  
To be inserted into the drawer



For cabinet width	930	1200
Depth	500/600	500/600
& order no.	+ 8921-701	+ 8931-701
& unit price		

**Occasional cabinets** with hinged doors on external hinges (door opening angle of 180°), 3 drawers with telescopic rail guide, fully extendable with approx. 75 kg load capacity/drawer, with corrugated rubber mat. Wall mounting necessary



Height: 1,000 Depth: 500	Width	930	1200
	Interior dimensions, HxWxD	450 x 925 x 453	450 x 1198 x 453
	Shelves	2	2
	Drawer interior dimensions, HxWxD	100 x 730 x 440	100 x 1000 x 440
	Drawers	3	3
	Order no.	8821-5235	8831-5235
	Price		






### Drawers in the center

Height: 1,950

	930	930	1200	1200
	500	600	500	600
	1435 x 928 x 453	1435 x 928 x 553	1435 x 1198 x 453	1435 x 1198 x 553
	3	3	3	3
	100 x 730 x 440	100 x 730 x 440	100 x 1000 x 440	100 x 1000 x 440
	3	3	3	3
	8921-5230	8922-5230	8931-5230	8932-5230

### + Additional shelves Load capacity: 110 kg

 Zinc-plated	For cabinet width	930	930	1200	1200
	Depth	500	600	500	600
& order no.	+ 8921-802	+ 8922-802	+ 8931-802	+ 8932-802	
& unit price					

### + Drawer tidies Plastic boxes for small parts, 63 mm high



	930	1200
For cabinet width	930	1200
Depth	500/600	500/600
Boxes	4 x 162 x 108 8 x 108 x 108 16 x 54 x 54 16 x 108 x 54	8 x 162 x 108 8 x 108 x 108 16 x 54 x 54 24 x 108 x 54
& order no.	+ 8921-5713	+ 8931-5713
& unit price		

### + Drawer tidies Zinc-plated separators, approx. 68 mm high



	930	1200
For cabinet width	930	1200
Depth	500/600	500/600
Boxes (vertically adjustable)	2 x 134 x 420 12 x 95 x 110/199	2 x 161 x 420 18 x 95 x 110/199
& order no.	+ 8921-5718	+ 8931-5718
& unit price		




Order. 8931-5230  
& 8931-5713

Loads of up to **700 kg**

# Heavy-duty cabinets with viewing window doors





- + Sturdy steel construction with high-quality enamel coating
- + Different dimension variants (3 widths, 3 heights)
- + Door mounting bracket with external hinges, approx. 180° opening angle
- + Steel doors with viewing window made of acrylic glass (3 mm thick) for a direct view
- + Acrylic glass panes can be replaced using simple screw connection
- + Door reinforcement for high stability and concealed locking rod
- + Highly flexible interior thanks to adjustability in 15 mm steps
- + High load capacity of each zinc-plated shelf: 110 kg
- + Cabinet load: 700 kg



Order no. 8924-0552

## Dimensions and version

With hinged doors on external door hinges (door opening angle of 180°), zinc-plated shelves, 110 kg load capacity/shelf



**XXL depth!**


### Without drawers

Height: 1,950

Width	930	930	930	930
Depth	400	500	600	800
Shelves	4	4	4	4
Order no.	8920-0552	8921-0552	8922-0552	8924-0552
Price				

## Dimensions and version

With hinged doors on external door hinges (door opening angle of 180°), 3 drawers with telescopic rail guide, fully extendable with approx. 75 kg load capacity/drawer, 110 kg load capacity/shelf, wall mounting necessary



### Drawers in the center

Height: 1,950

Width	930	930	1200	1200
Depth	500	600	500	600
Shelves	3	3	3	3
Order no.	8921-55302	8922-55302	8931-55302	8932-55302
Price				



Order no. 8931-55302



Order no. 8931-5532



Loads of up to **700 kg**



**XXL depth!**

1200

1200

1200

1200

400

500

600

800

4

4

4

4

8930-0552

8931-0552

8932-0552

8934-0552



**Ergo-Lock grip lock**  
(3-bolt latch)  
Easy to operate with gloves on






**Door opening angle**  
Approx. 180° thanks to external hinges



**Drawers with telescopic rail guide**, fully extendable, 75 kg load capacity per drawer



**Steel doors** with viewing windows made of permanently adhered 3 mm-thick acrylic glass and concealed locking rods



**Drawers below**

Height: 1,950

Width	930	930	1200	1200
Depth	500	600	500	600
Shelves	4	4	4	4
Order no.	8921-5532	8922-5532	8931-5532	8932-5532
Price				

# Occasional cabinets




Order no. 8521-0552



Order no. 8821-0552

## Dimensions and version

With hinged doors on external door hinges (door opening angle of 180°), zinc-plated shelves, adjustable, 110 kg load capacity/shelf, corrugated rubber mat for top




Depth: 500	Height	1000	1000	1200	1200
	Width	930	1200	930	1200
	Shelves	1	1	2	2
	Order no.	8821-0552	8831-0552	8521-0552	8531-0552
	Price				

# Drawer tidies



## Drawer tidies

Plastic boxes  
for small parts,  
63 mm high



	930	1200	1200
For cabinet width	930	1200	1200
Depth	500/600	400	500/600
Boxes	4 x 162 x 108 8 x 108 x 108 16 x 54 x 54 16 x 108 x 54	6 x 162 x 108 6 x 108 x 108 12 x 54 x 54 18 x 108 x 54	8 x 162 x 108 8 x 108 x 108 16 x 54 x 54 24 x 108 x 54
& order no.	+ 8921-5713	+ 8930-5713	+ 8931-5713
& unit price			




## Drawer tidies

Zinc-plated  
separators,  
approx. 68 mm high





	930	1200	1200
For cabinet width	930	1200	1200
Depth	500/600	400	500/600
Boxes (vertically adjustable)	2 x 134 x 420 12 x 95 x 110/199	2 x 161 x 315 18 x 95 x 57/199	2 x 161 x 420 18 x 95 x 110/199
& order no.	+ 8921-5718	+ 8930-5718	+ 8931-5718
& unit price			



## Foam rubber mat

To be inserted  
into the drawer



	930	1200	1200
For cabinet width	930	1200	1200
Depth	500/600	400	500/600
& order no.	+ 8921-701	+ 8930-701	+ 8931-701
& unit price			

## Keys and locks for tool and equipment cabinets

(for PIN code and RFID locks, see p. <?>)

	Ergo-Lock	Ergo-Lock with master key system	Master key for this	Ergo-Lock with simultaneous locking	Single/spare key	Additional charge for lock with lock no. upon request (longer delivery times)	Single/spare key for master key system
Order no.	8900-721	8900-723	8900-7131	8900-7211	0004-11	...-...99	0005-10
Price						On request	

# Hinged-door cabinets

Sturdy and practical.



## As battery charging cabinets

### **The versatile electrical experts**

- + Sturdy steel construction with high-quality enamel coating
- + Zinc-plated shelves
- + Special e-tray, permanently installed, with integrated socket strip
- + Ergo-Lock grip lock (3-bolt) with 2 keys and optional exchangeable cylinder
- + Doors on external hinges, approx. 180° opening angle
- + Rear panel perforated for optimal ventilation, Comfort version with fan
- + Available with solid-metal doors or with viewing windows made of acrylic glass for direct view
- + Basic or Comfort variant for any equipment and electrification needs

## As hazardous substance cabinets

### **The secure cabinets for storing water-polluting substances**

- + Protection against high consequential costs!
- + Sturdy steel construction with high-quality enamel coating
- + Trays made of zinc-plated steel or polyethylene
- + Ergo-Lock grip lock (3-bolt) with 2 keys and optional exchangeable cylinder
- + Various dimension variants and occasional cabinets





## With open-front containers

### **The top-notchers for small parts**

- + Sturdy steel construction with high-quality enamel coating
- + Zinc-plated shelves
- + Ergo-Lock grip lock (3-bolt) with 2 keys and optional exchangeable cylinder
- + Open-front containers in professional quality
- + Complete product line (different heights, dimension variants and box/drawer configurations for any requirement)

# Battery charging cabinets

## Basic and Comfort versions.

### Features of the C + P battery charging cabinets:

- + Sturdy steel construction with high-quality enamel coating
- + Doors on external hinges, door opening angle of 180°
- + Available with solid-metal doors or viewing windows made of 3 mm-thick acrylic glass, easy replacement using simple screw connection
- + Ergo-Lock 3-bolt grip lock with 2 keys and patented mechanism: Simply push shut to close!
- + Highly flexible shelf configuration: Adjustability in 15 mm steps
- + Special e-tray, permanently installed, with integrated socket strip, for better order in the cabinet
- + Rear panel perforated for optimal ventilation, Comfort version with fan
- + Upgradable with C + P interior fittings, e.g. drawer block
- + Each cabinet incl. 3 m grounded supply line, 230 V
- + All cabinets comply with Low-Voltage Directive 2014/35/EU, EMC Directive 2014/30/EU & RoHS Directive 2011/65/EU



Basic version with solid-metal doors, order no. 8921-05E1

### Basic dimensions and version

With 3 zinc-plated shelves, one e-tray (electrical tray) and a 5x socket strip

		With solid-metal doors	With viewing window doors
Height: 1,950			
Width: 930	Shelves	3	3
Depth: 500	E-trays	1	1
	Order no.	8921-05E1	8921-055E1
	Price		



Patented mechanism: Simply push shut to close. Easy to operate with gloves on. Can also be used as PIN code and RFID transponder lock! (see Page <?>)

### Comfort dimensions and version

With one zinc-plated shelf, 3 e-trays (electrical trays) and 5x socket strips, central master strip with fan connection FI circuit breaker and line circuit breaker

		With solid-metal doors	With viewing window doors
Height: 1,950			
Width: 930	Shelves	1	1
Depth: 500	E-trays	3	3
	Order no.	8921-05E3	8921-055E3
	Price		



Temperature-controlled fan and central master strip with COMFORT cabinet

### The innovative e-tray from C + P: Refined technology, easy to use

- + Concealed placement tray for power packs and supply cables of the charging units for better order
- + More space and better organization of the area
- + Holder and positioning of the socket strip (permanently connected to shelf)
- + Tray perforated to avoid overheating
- + Zinc-plated version
- + Other plug variants available on request



+ **Additional standard shelf**  
Zinc-plated

Order no. 8921-80

Price



Basic version with viewing window doors  
Order no. 8921-055E1



Comfort version with solid-metal doors,  
Order no. 8921-05E3



Comfort version with viewing window doors  
Order no. 8921-055E3

- + **Additional e-tray** only for BASIC cabinet, only one addtl. shelf with cabinet order possible (cannot be retrofitted), incl. supply line.



Width	930
Depth	500/600
Order no.	+ 8921-80E1
Price	

- + **Corrugated rubber mat** for placement on e-tray, For easy assembly, incl. tape strips



Width	930
Depth	500/600
Order no.	+ 8921-703
Price	

- + **Drawer tidy, plastic boxes** for small parts, approx. 63 mm high



44 boxes: 4x 162 x 108 8x 108 x 108 16x 54 x 54 16x 108 x 54	
Order no.	+ 8921-5713
Price	

- + **Drawer tidy, zinc-plated separators,** approx. 68 mm high



14 boxes: 2x 134 x 420 12x 95 x 110/199 (vertically adjustable)	
Order no.	+ 8921-5718
Price	

- + **Drawer block below** with 3 fully extendable drawers, 50 kg load capacity each, with telescopic rails



Width	930
Depth	500/600
Order no.	+ 8921-5702
Price	

- + **Foam rubber mat** to be inserted into the drawer for careful storage of sensitive stock items



Width	930
Depth	500/600
Order no.	+ 8921-701
Price	

# Hazardous substance cabinets

## Features of the hazardous substance cabinets:





- + Safe storage of small containers with water-polluting substances (no acids or alkalis)
- + Sturdy steel construction with high-quality enamel coating
- + Doors on bolt hinges, approx. 110° door opening angle, with easy to clean ventilation hole pattern above and below
- + Protection against consequential costs at a low price
- + Legally prescribed for many sectors (e.g. agricultural businesses)
- + Collection trays tested according to the German Water Resources Act (WHG)
- + Highly flexible interior fittings thanks to adjustability in 15 mm steps



Order no. 8921-315

## Dimensions and version

With hinged doors, with ventilation hole pattern, incl. Ergo-Lock triple-bolt grip lock



Height: 1950	Width	500	930	500	930
Depth: 500	Interior dimensions, HxWxD	1840 x 498 x 453	1840 x 928 x 453	1840 x 498 x 453	1840 x 928 x 453
	Shelves	-	-	3	3
	Collection volume	10 L/tray	20 L/tray	10 L/tray	20 L/tray
	Zinc-plated trays	4	4	-	-
	Polyethylene trays	-	-	4	4
	Order no.	8901-315	8921-315	8901-316	8921-316
	Price				

+ Additional tray or polyethylene tray



	For cabinet width	500	930	500	930
	Dimensions, WxD	490 x 450	920 x 450	490 x 450	920 x 450
	Collection volume	10 L/tray	20 L/tray	10 L/tray	20 L/tray
	& order no.	+ 8901-3725	+ 8921-3725	+ 8901-3726	+ 8921-3726
	& addtl. charge				



Order no. 8821-315  
& 8851-00 (corrugated rubber mat for top)





Order no. 8721-315  
& 8751-00 (corrugated rubber mat for top)

## Dimensions and version

### Occasional safety cabinets

With hinged doors, with ventilation hole pattern, incl. Ergo-Lock triple-bolt grip lock



Height: 1,000 (incl. raised edge: 1,020)	Width	500	930	500	930
Depth: 500	Interior dimensions, HxWxD	855 x 498 x 453	855 x 928 x 453	855 x 498 x 453	855 x 928 x 453
	Shelves	-	-	1	1
	Collection volume	10 L/tray	20 L/tray	10 L/tray	20 L/tray
	Zinc-plated trays	2	2	-	-
	Polyethylene trays	-	-	2	2
	Order no.	8721-315	8821-315	8721-316	8821-316
	Price				

+ **Corrugated rubber mat for top**  
Self-adhesive



For cabinet width	500	930
& order no.	+ 8751-00	+ 8851-00
& addtl. charge		



**Zinc-plated tray:**  
Load capacity: 80 kg



**Polyethylene tray:**  
Load capacity: 70 kg



# Open-front container cabinets

## Features of the open-front container cabinets:

- + Sturdy steel construction with high-quality enamel coating
- + Wide range of different dimensions and container hardware for any application
- + Door mounting bracket with approx. 110° opening angle (except for models on page <AE>/<AE> (180°))
- + Central door reinforcement for high stability
- + Highly flexible interior fitting options thanks to adjustability in 10 mm steps (except models 8931-501 and -502 (15 mm steps))
- + Load capacity per zinc-plated shelf: 70 kg
- + Load capacity per shortened shelf: 50 kg
- + Cabinet load capacity: 450 kg
- + Wall mounting is necessary for sturdy and secure positioning. The fastening method depends on the wall material. Please use screws and dowels that are suitable for the respective type of wall (not included)
- + Cabinets with drawer block, 3 drawers each with telescopic rail guide, fully extendable, 50 kg load capacity/drawer



Order no. 130276-64



Extra-large cabinets with doors on external door hinges (door opening angle of 180°)

### Ergo-Lock grip lock

Improved operation safety, wear resistance and appearance—to close the door, all you need to do is push the grip lock closed




## Features of the open-front and shelf containers:

- + Smooth internal walls and recessed grip on the rear panel
- + Stacking lugs facilitate stacking without slippage
- + The slightly roughened bottom ensures anti-slip transport on conveyor belts
- + The open-front containers are made of polypropylene (food-safe and oil-resistant from -20 to +90°C). Available in 7 practical sizes and in the cadmium-free colors of red and blue
- + Can also be fitted with protective label covers, dust covers, front panels, and carrying bars as well as vertical dividers for more better organization



Shelf containers



Open-front containers














# Open-front containers



## Dimensions and version

Loose, incl. labels, available only in the specified packaging units

							
Size	1	2	3	4	5	6	7
Outside dimensions, H x W x D	50 x 102 x 85	75 x 103 x 160	125 x 150 x 230	145 x 210 x 350	200 x 210 x 350	145 x 315 x 500	200 x 315 x 500
Packaging unit	60 pc.	40 pc.	20 pc.	10 pc.	10 pc.	8 pc.	6 pc.
 Color red							
Order no.	8920-59153	8920-59253	8920-59353	8920-59453	8920-59553	8920-59653	8920-59753
Price							
 Color blue							
Order no.	8920-59155	8920-59255	8920-59355	8920-59455	8920-59555	8920-59655	8920-59755
Price							

### + Protective label cover (1 packaging unit = 50 pc.)

& order no.	+ 8920-59105	+ 8920-59205	+ 8920-59305	+ 8920-59405	+ 8920-59505	+ 8920-59605	+ 8920-59705
& addtl. charge							

### + Dust cover (1 packaging unit = 10 pc.)

& order no.	+ 8920-59101	+ 8920-59201	+ 8920-59301	+ 8920-59401	+ 8920-59501	+ 8920-59601	+ 8920-59701
& addtl. charge							

### + Vertical dividers (1 packaging unit = 10 pc.)

& order no.	-	-	-	+ 8920-59402	+ 8920-59502	-	+ 8920-59702
& addtl. charge	-	-	-			-	

### + Carrying bar (1 packaging unit = 10 pc.)

& order no.	-	-	-	-	-	+ 8920-59606	+ 8920-59706
& addtl. charge	-	-	-	-	-		

### + Front panel (1 packaging unit = 10 pc.)

& order no.	-	+ 8920-59204	+ 8920-59304	+ 8920-59404	+ 8920-59504	+ 8920-59604	+ 8920-59704
& addtl. charge							



Protective label cover



Dust cover



Vertical divider



Carrying bar



Front panel

# Open-front container cabinets




Order no. 134013-24



Order no. 134013-21

## Dimensions and version

With hinged doors, incl. Ergo-Lock triple-bolt grip lock, shelves adjustable in 10 mm steps



Height: 830	Interior dimensions, HxWxD	770 x 695 x 250	770 x 695 x 250	770 x 695 x 250	770 x 695 x 250	770 x 695 x 250
Width: 700	Shelves	4	5	6	3	6
Depth: 300	Open-front containers	18 x size 2 red 12 x size 2 blue	24 x size 2 red 8 x size 3 blue	42 x size 2 blue	-	-
	Order no.	134013-23	134013-24	134013-21	134013-22	134013-20
	Price					




# Open-front container cabinets



Order no. 133944-25

## Dimensions and version

With hinged doors, incl. Ergo-Lock triple-bolt grip lock, shelves adjustable in 10 mm steps, wall mounting necessary



Height: 1,690	Interior dimensions, H x W x D	1620 x 695 x 250	1620 x 695 x 250	1620 x 695 x 250	1620 x 695 x 250	1620 x 695 x 250
Width: 700	Shelves	9	9	9	11	13
Depth: 300	Open-front containers	20 x size 3 red 20 x size 3 blue	12 x size 3 red 28 x size 3 blue	45 x size 1 red 45 x size 1 blue 24 x size 2 red 24 x size 2 blue	36 x size 2 red 24 x size 3 blue	18 x size 2 red 20 x size 3 blue 18 x size 1 red 18 x size 1 blue
	Order no.	133413-22	133413-28	133413-24	133413-23	133413-27
	Price					

## Occasional cabinets with open-front containers

With hinged doors, incl. Ergo-Lock triple-bolt grip lock, shelves adjustable in 10 mm steps




Height: 1,000	Interior dimensions, H x W x D	890 x 995 x 370	890 x 995 x 370	890 x 995 x 370	890 x 995 x 370	890 x 995 x 370
Width: 1,000	Shelves	4	4	2	6	6
Depth: 420	Open-front containers	18 x size 3 red 12 x size 3 blue	12 x size 3 red 12 x size 4 blue	-	36 x size 2 red 27 x size 2 blue	45 x size 2 red 12 x size 3 blue
	Order no.	133944-22	133944-23	133944-21	133944-24	133944-25
	Price					



Order no. 133944-22

! **Open-front container sizes (HxWxD):**

- 1: 50 x 102 x 85 mm
- 2: 75 x 103 x 160 mm
- 3: 125 x 150 x 230 mm
- 4: 145 x 210 x 350 mm
- 5: 200 x 210 x 350 mm
- 6: 145 x 315 x 500 mm
- 7: 200 x 315 x 500 mm



The **Ergo-Lock** grip lock (3-bolt latch) in an appealing ergonomic design




1620 x 695 x 250	1620 x 695 x 250	1620 x 695 x 250	1620 x 695 x 250
14	15	17	6
42 x size 2 red 48 x size 2 blue	48 x size 2 red 48 x size 2 blue	30 x size 1 red 30 x size 1 blue 24 x size 2 red 24 x size 2 blue	-
133413-25	133413-29	133413-210	133413-20

+ **Corrugated rubber mat for top**  
For occasional cabinets and shelves, self-adhesive



Width x depth	700 x 300	1000 x 420
& order no.	+ 134013-701	+ 133944-701
& unit price		

+ **Additional shelves**



For cabinet width	700	1000
Thickness in mm	15	25
& order no.	+ 130013-81	+ 130044-81
& unit price		



Order no. 133413-210

# Open-front container cabinets





Order no. 133113-22



Order no. 133113-23

## Dimensions and version

Hinged doors, incl. Ergo-Lock triple-bolt grip lock, shelves adjustable in 10 mm steps, wall mounting necessary



Height: 1,980





Width	700	700	700	700	1000
Depth	300	300	300	300	420
Interior dimensions, H x W x D	1910 x 695 x 250	1910 x 695 x 250	1910 x 695 x 250	1910 x 695 x 250	1870 x 995 x 370
Shelves	11	15	18	9	6
Open-front containers	24 x size 3 red 24 x size 3 blue	60 x size 2 red 24 x size 3 blue	60 x size 2 red 54 x size 2 blue	-	16 x size 5 red 12 x size 5 blue
Order no.	133113-21	133113-22	133113-23	133113-20	133144-22
Price					





Order no. 133144-23

Open-front container sizes (H x W x D):	Shelf container sizes (outside dimensions, H x W x D):
1: 50 x 102 x 85 mm	RK 3109: 90 x 117 x 300 mm
2: 75 x 103 x 160 mm	RK 3209: 90 x 234 x 300 mm
3: 125 x 150 x 230 mm	RK 3214: 140 x 234 x 300 mm
4: 145 x 210 x 350 mm	
5: 200 x 210 x 350 mm	
6: 145 x 315 x 500 mm	
7: 200 x 315 x 500 mm	







1000	1000	1000	1000	1000	1000	1000
420	420	420	420	420	420	420
1870 x 995 x 370	1870 x 995 x 370	1870 x 995 x 370	1870 x 995 x 370	1870 x 995 x 370	1870 x 995 x 370	1870 x 995 x 370
8	8	9	9	11	12	4
24 x size 4 red 12 x size 5 blue	30 x size 3 red 16 x size 5 blue	20 x size 4 red 20 x size 4 blue	30 x size 3 red 20 x size 4 blue	48 x RK 3109 blue 12 x size 4 red 12 x size 4 blue	40 x RK 3109 blue 16 x RK 3209 blue 16 x RK 3214 blue	-
133144-23	133144-25	133144-24	133144-27	133144-29	133144-28	133144-20

# Extra-large cabinets with open-front containers

## Dimensions and version





Hinged doors on external hinges, 180° opening angle, incl. Ergo-Lock triple-bolt grip lock, shelves adjustable in 10 mm steps, for model 8931-502: 15 mm steps, wall mounting necessary



Height: 1,980	Width	1100	1100	1100	1100
	Depth	535	535	535	535
	Shelves	9	9	11	11
	Shortened shelves	7	5	8	11
	Mounting rails	5 per door	7 per door	10 per door	10 per door
	Open-front containers	40 x size 2 blue 28 x size 3 red 15 x size 4 blue 9 x size 7 red	56 x size 2 red 35 x size 3 blue 6 x size 6 red 9 x size 7 blue	40 x size 1 red 80 x size 2 blue 28 x size 3 red 20 x size 4 blue	40 x size 1 red 90 x size 2 blue 28 x size 3 red 15 x size 4 blue
	Order no.	130276-65	130276-66	130276-61	130276-62
	Price				

## Extra-large cabinets with drawers

Hinged doors on external hinges, 180° opening angle, incl. Ergo-Lock triple-bolt grip lock, load capacity per drawer: approx. 50 kg, shelves adjustable in 10 mm steps, for model 8931-501: in 15 mm steps, wall mounting necessary





Height: 1,980	Width	1100	1100	1100	1100
	Depth	535	535	535	535
	Shelves	7	7	9	9
	Shortened shelves	6	4	8	6
	Mounting rails	5 per door	7 per door	10 per door	10 per door
	Open-front containers	40 x size 2 blue 28 x size 3 red 15 x size 4 blue	56 x size 2 red 35 x size 3 blue 6 x size 6 red	40 x size 1 red 70 x size 2 blue 21 x size 3 red 15 x size 4 blue	40 x size 1 red 70 x size 2 blue 21 x size 3 red 5 x size 4 blue 6 x size 6 red
	Drawers	3	3	3	3
	Order no.	130276-67	130276-68	130276-63	130276-64
	Price				

**+ Drawer tidies**  
Plastic boxes for small parts,  
63 mm high



For cabinet width	1100	1200
For cabinet depth	535	500
Boxes	8 x 162 x 108 8 x 108 x 108 16 x 54 x 54 20 x 108 x 54	8 x 162 x 108 8 x 108 x 108 16 x 54 x 54 24 x 108 x 54
& order no.	+ 130076-5713	+ 8931-5713
& unit price		



Height: 1950

1100

1200

535

500

4

9

-

7

-

10 per door

-


Each: 40 x size 1 red/blue  
21 x size 3 blue  
28 x size 3 red  
10 x size 4 blue  
5 x size 4 red

130276-613

8931-502



Order no. 8931-502



Height: 1950

1200

500

10

9

10 per door

Each: 40 x size 1 red/blue  
Each: 44 x size 2 red/blue  
7 x size 3 red  
5 x size 4 blue

3

8931-501



Order no. 130276-64

General information:

This publication is for information purposes only. It is not an offer in the legal sense and is intended exclusively for business customers. All items are supplied without the decorations that may be shown. The brand and product rights of any branded articles recognizable in the decorations are held by the respective manufacturer. The dimensions given are approximate and may vary upwards and downwards. We reserve the right to make design changes, changes to the product range and the ability to deliver, changes to the color, fabric and decoration palettes and, if necessary, limited express availability (e.g. in the case of larger quantities per model or order). We also reserve the right to make changes to price quotations, e.g. due to errors, increases in material or raw material prices. Our General Terms and Conditions apply (see [www.cp.de/agb](http://www.cp.de/agb)).

Issue: 2024/01 - Valid from 01.01.2024 until a new issue is published.

Publisher / Copyright: C + P Möbelsysteme GmbH & Co. KG - [www.cp.de](http://www.cp.de)

C + P Möbelsysteme GmbH & Co. KG  
Boxbachstr. 1  
35236 Breidenbach  
Germany

T +49 (0)6465 919-391  
[sales@cp.de](mailto:sales@cp.de)  
[www.cp.de](http://www.cp.de)